ELSEVIER

Physica C 223 (1994) 417–420

PHYSICA C

Author Index to Volume 223

Abrashev, M.V., see R.A. Chakalov **223**, 173
Adachi, S., see C.-Q. Jin **223**, 238
Adachi, S., see X.-J. Wu **223**, 243
Akimenko, A.I. and V.A. Gudimenko, Effect of Fe doping on gaps in $GdBa_2Cu_3O_{7-\delta}$ **223**, 83
Anastassopoulos, D.L., see G.D. Priftis **223**, 106
Antipov, E.V., see G. Van Tendeloo **223**, 219

Baker, A.P. and B.A. Glowacki, The dependence of $Bi_9Sr_{11}Ca_5$ oxide on the stoichiometry of Bi-2212 and its reversible phase transition in oxidising and non-oxidising annealing conditions **223**, 383
Barilo, S.N., see A.A. Zakharov **223**, 157
Bouzerar, R., B. Mettout, H. Savary, J. Schneck and J.C. Tolédano, Influence of lead substitution on the magnetic irreversibility line of 2212 superconducting single crystals **223**, 259
Braden, M., P. Schweiss, G. Heger, W. Reichardt, Z. Fisk, K. Gamayunov, I. Tanaka and H. Kojima, Relation between structure and doping in $La_{2-x}Sr_xCuO_{4+\delta}$ A neutron diffraction study on single crystals **223**, 396
Bram, A., see I.P. Makarova **223**, 1
Browning, N.B., see S.E. Dorris **223**, 163
Burzlaff, H., see I.P. Makarova **223**, 1

Calestani, G., see R. Masini **223**, 189
Capponi, J.J., see G. Van Tendeloo **223**, 219
Carlile, C.J., see M. Guillaume **223**, 333
Catana, A., see C. Rossel **223**, 370
Chaillout, C., see G. Van Tendeloo **223**, 219
Chakalov, R.A. and M.V. Abrashev, Morphological and compositional changes of the target surface during RF magnetron sputtering of the Y–Ba–Cu–O system **223**, 173
Chang, I.C., M.D. Lan, T.J. Goodwin, J.Z. Liu, P. Klavins and R.N. Shelton, Magnetic and transport properties of $HgBa_2CuO_{4+\delta}$ **223**, 207
Chernov, A.S., V.S. Gorbachev and S.E. Savel'ev, Calculation of the critical current of a Josephson lattice taking into account correlations of phases at adjacent pinning centers **223**, 62
Cigáň, A., see V. Zrubec **223**, 90
Conard, J., see K. Sauv **223**, 145

Dahm, T., C.T. Rieck, L. Tewordt and S. Wermbter, Theory of magnetic neutron scattering for s- and d-wave superconductivity in cuprates **223**, 179
Daniel, J., see A. Piehler **223**, 391
Dimesso, L., see R. Masini **223**, 189
Dimitrova-Ivanovich, M., see L. Mihailov **223**, 249
Dorris, S.E., B.C. Prorok, M.T. Lanagan, N.B. Browning, M.R. Hagen, J.A. Parrell, Y. Feng, A. Umezawa and D.C. Larbalestier, Methods of introducing lead into bismuth-2223 and their effects on phase development and superconducting properties **223**, 163
Dunne, L.J., Off-diagonal long range order and essential phenomenological description of some properties of high-T_C cuprate superconductors **223**, 291

Fauth, F., see M. Guillaume **223**, 333
Feng, Y., see S.E. Dorris **223**, 163
Fisk, Z., see M. Braden **223**, 396
Francesconi, M.G., see R. Masini **223**, 189
Franck, J.P., see M.K. Yu **223**, 57
Fun, H.-K., P. Yang, C.-C. Lai, H.-C. Ku and T.-J. Lee, Structures and antiferromagnetic Pr ordering mechanism of $Tl(Ba_{2-x}Sr_x)PrCu_2O_{7-y}$ compounds by Rietveld analysis **223**, 267
Furrer, A., see M. Guillaume **223**, 333
Furukawa, A., see M. Kataoka **223**, 71

Gamaunov, K.V., see I.P. Makarova **223**, 1
Gamayunov, K., see M. Braden **223**, 396
Georgiev, M., see L. Mihailov **223**, 249
Glaskov, V.M., see A.A. Zakharov **223**, 157
Glowacki, B.A., see A.P. Baker **223**, 383
Goodwin, T.J., see I.C. Chang **223**, 207
Gorbachev, V.S., see A.S. Chernov **223**, 62
Gorbatsevich, A.A., Yu.V. Kopaev and I.V. Tokatly, Phase separation and dielectric correlations in HTSC **223**, 95
Goren, S.D., C. Korn, H. Shaked, E. Rössler, H.M. Vieth and K. Lüders, NMR study of the effect of hydrogen on $YBa_2Cu_3O_6$ **223**, 140
Gornik, E., see Y. Sun **223**, 14
Greaves, C., see P.R. Slater **223**, 37
Gudimenko, V.A., see A.I. Akimenko **223**, 83
Guillaume, M., U. Staub, F. Fauth, J. Mesot, A. Furrer and C.J. Carlile, Ho^{3+} dimer excitations in $Ho_{0.1}Y_{0.9}Ba_2Cu_3O_x$ $(6.6 \leq x \leq 7.0)$ **223**, 333
Guilloux-Viry, M., see C. Rossel **223**, 370
Gupta, M., see R.P. Gupta **223**, 213

Gupta, R.P. and M. Gupta, Mechanism of hole doping in Hg-based cuprate superconductors **223**, 213

Hagen, M.R., see S.E. Dorris **223**, 163
Hashimoto, T., H. Kawazoe and H. Shimamura, Effects of substitution of Bi with Pb in $BaBi_{1-x}Pb_xO_3$ on crystal structure and conduction behavior **223**, 131
Heger, G., see M. Braden **223**, 396
Hinks, D.G., see A.-K. Klehe **223**, 313

Il'ichev, E.V., see R. Laiho **223**, 123
Inaguma, Y., see M. Itoh **223**, 75
Itoh, M., Y.-J. Shan, S. Sakamoto, Y. Inaguma and T. Nakamura, Preparation, magnetization, Seebeck coefficient, and electrical resistivity of electrochemically oxidized $La_{2-x}Ba_xCuO_4 (0 \leqslant x \leqslant 0.25)$ **223**, 75
Ivanov, A.L., see I.P. Makarova **223**, 1

Jia, S.L., see X.J. Zhou **223**, 30
Jin, C.-Q., S. Adachi, X.-J. Wu, H. Yamauchi and S. Tanaka, 117 K superconductivity in the Ba–Ca–Cu–O system **223**, 238
Jin, C.-Q., see X.-J. Wu **223**, 243

Kasuya, T., Bose condensation and high-T_c superconductivity in $La_{2-x}Sr_xCuO_4$ **223**, 233
Kataoka, M., K. Kuroda, Y. Maki, T. Takami, J. Tanimura, T. Oishi, A. Furukawa, Y. Wada, O. Wada, T. Ogama, K. Kojima and M. Nunoshita, Observation of two in-plane epitaxial states in (001) $Bi_2Sr_2CaCu_2O_x$ films formed on (001) MgO **223**, 71
Kawazoe, H., see T. Hashimoto **223**, 131
Kishio, K., see Y. Tomioka **223**, 347
Kitazawa, K., see Y. Tomioka **223**, 347
Klavins, P., see I.C. Chang **223**, 207
Klehe, A.-K., J.S. Schilling, J.L. Wagner and D.G. Hinks, Hydrostatic pressure dependence of the superconducting transition temperature of $HgBa_2CaCu_2O_{6+\delta}$ and $HgBa_2Ca_2Cu_3O_{8+\delta}$ **223**, 313
Kojima, H., see M. Braden **223**, 396
Kojima, K., see M. Kataoka **223**, 71
Kopaev, Yu.V., see A.A. Gorbatsevich **223**, 95
Korn, C., see S.D. Goren **223**, 140
Koshelev, A.E., Surface barrier in the mixed state of type-II superconductors near equilibrium **223**, 276
Kraus, M., see A. Piehler **223**, 391
Ku, H.-C., see H.-K. Fun **223**, 267
Kurnevitch, L.A., see A.A. Zakharov **223**, 157
Kuroda, K., see M. Kataoka **223**, 71
Kwei, G.H., see H.B. Liu **223**, 51

Lafeuille, J.L., see K. Sauv **223**, 145
Lai, C.-C., see H.-K. Fun **223**, 267
Laiho, R., E.V. Il'ichev and V.M. Zakosarenko, Influence of light on a ceramic $YBa_2Cu_3O_{7-\delta}$ SQUID at 77 K **223**, 123
Lan, M.D., see I.C. Chang **223**, 207
Lanagan, M.T., see S.E. Dorris **223**, 163
Larbalestier, D.C., see S.E. Dorris **223**, 163
Lee, T.-J., see H.-K. Fun **223**, 267
Li, J.Q., see X.J. Zhou **223**, 30
Li, J.W., see X.J. Zhou **223**, 30
Liu, H.B., D.E. Morris, A.P.B. Sinha and G.H. Kwei, Effect of praseodymium substitution in $YBa_2Cu_4O_8$ (1:2:4) **223**, 51
Liu, J.Z., see I.C. Chang **223**, 207
Löw, R., see A. Piehler **223**, 391
Lüders, K., see S.D. Goren **223**, 140

Makarova, I.P., A. Bram, J. Markl, K.V. Gamaunov, A.L. Ivanov, R.A. Tamazyan, M. Röhner, H. Burzlaff, G. Saemann-Ischenko, V.I. Simonov and V.V. Osiko, Influence of Ce doping on the distribution of the electron density in $Nd_{2-x}Ce_xCuO_{4-\delta}$ **223**, 1
Maki, Y., see M. Kataoka **223**, 71
Maňka, J., see V. Zrubec **223**, 90
Marezio, M., see G. Van Tendeloo **223**, 219
Markl, J., see I.P. Makarova **223**, 1
Markowitsch, W., W. Mayr, P. Schwab and X.Z. Wang, Optical constants of YBaCuO from polarized reflectance measurements **223**, 117
Masini, R., L. Dimesso, A. Migliori, M.G. Francesconi and G. Calestani, Effects of nitrogen annealing on structural, microstructural and superconducting properties of 2223 BPSCCO ceramics **223**, 189
Mayr, W., see W. Markowitsch **223**, 117
Mesot, J., see M. Guillaume **223**, 333
Mettout, B., see R. Bouzerar **223**, 259
Migliori, A., see R. Masini **223**, 189
Mihailov, L., M. Dimitrova-Ivanovich and M. Georgiev, Superconducting critical temperatures of hard-core composite bosons on a lattice. A comparative analysis of 214, 2201, 123, 2212 and 2223 high-T_c materials **223**, 249
Morris, D.E., see H.B. Liu **223**, 51

Naito, M., see Y. Tomioka **223**, 347
Nakamura, T., see M. Itoh **223**, 75
Nicolas, M., see K. Sauv **223**, 145
Nikonov, A.A., see A.A. Zakharov **223**, 157
Nilsson-Mellbin, M., A. Parikh and K. Salama, I–V characteristics of melt-textured $YBa_2Cu_3O_{7-x}$ superconductors containing grain boundaries **223**, 19
Nunoshita, M., see M. Kataoka **223**, 71

Ogama, T., see M. Kataoka **223**, 71
Ogborne, D.M. and M.T. Weller, Structure and oxygen stoichiometry in $Tl_2Ba_2Ca_3Cu_4O_{12-\delta}$. A high-resolution powder neutron-diffraction study **223**, 283
Oishi, T., see M. Kataoka **223**, 71
Osiko, V.V., see I.P. Makarova **223**, 1

Paracchini, C., L. Romanó, A. Violanti and A. Tebano, Non-ohmic response under low magnetic fields in BSCCO **223**, 46
Parfionov, O.E., see A.A. Zakharov **223**, 157

Parikh, A., see M. Nilsson-Mellbin **223**, 19
Parrell, J.A., see S.E. Dorris **223**, 163
Perrin, A., see C. Rossel **223**, 370
Piehler, A., J.P. Ströbel, N. Reschauer, R. Löw, R. Schönberger, K.F. Renk, M. Kraus, J. Daniel and G. Saemann-Ischenko, Critical current density of $TlBa_2Ca_2Cu_3O_9$ thin films on MgO (100) in magnetic fields **223**, 391
Priftis, G.D., D.L. Anastassopoulos, A.A. Vradis and R. Suryanarayanan, Compton-profile measurements on $(Bi_{1.6}Pb_{0.4})Sr_2Ca_2Cu_3O_{10+x}$ superconductor **223**, 106
Promberger, M. and G. Voll, On the existence of a hole–hole bound state in ceramic superconductors due to the high polarizability of oxygen ions **223**, 321
Prorok, B.C., see S.E. Dorris **223**, 163

Reich, S., see D. Veretnik **223**, 227
Reichardt, W., see M. Braden **223**, 396
Renk, K.F., see A. Piehler **223**, 391
Reschauer, N., see A. Piehler **223**, 391
Revina, N.V., see A.A. Zakharov **223**, 157
Rieck, C.T., see T. Dahm **223**, 179
Rodriguez, C.O., see R. Weht **223**, 339
Rogacki, K., see A. Rojek **223**, 111
Röhner, M., see I.P. Makarova **223**, 1
Rojek, A., C. Sułkowski and K. Rogacki, Superconductivity and magnetism of $TmRh_{1.3}Sn_{4.0}$ single crystals **223**, 111
Romanó, L., see C. Paracchini **223**, 46
Rossel, C., A. Catana, R.R. Schulz, E.J. Williams, A. Perrin, M. Guilloux-Viry and C. Thivet, Microstructure of (001), (110) and (103) oriented thin films of $YBa_2Cu_3O_{7-x}$ investigated with STM, SEM and HRTEM **223**, 370
Rössler, E., see S.D. Goren **223**, 140

Saemann-Ischenko, G., see I.P. Makarova **223**, 1
Saemann-Ischenko, G., see A. Piehler **223**, 391
Sakamoto, S., see M. Itoh **223**, 75
Salama, K., see M. Nilsson-Mellbin **223**, 19
Sauv, K., M. Nicolas, J.L. Lafeuille and J. Conard, Lithium doping in $(RE)Ba_2Cu_3O_7$. Structural, magnetic and NMR effects; RE = Y or Nd **223**, 145
Savary, H., see R. Bouzerar **223**, 259
Savel'ev, S.E., see A.S. Chernov **223**, 62
Schilling, J.S., see A.-K. Klehe **223**, 313
Schneck, J., see R. Bouzerar **223**, 259
Schönberger, R., see A. Piehler **223**, 391
Schulz, R.R., see C. Rossel **223**, 370
Schwab, P., see W. Markowitsch **223**, 117
Schweiss, P., see M. Braden **223**, 396
Shaked, H., see S.D. Goren **223**, 140
Shan, Y.-J., see M. Itoh **223**, 75
Shelton, R.N., see I.C. Chang **223**, 207
Shimamura, H., see T. Hashimoto **223**, 131
Simonov, V.I., see I.P. Makarova **223**, 1
Sinha, A.P.B., see H.B. Liu **223**, 51
Slater, P.R. and C. Greaves, Synthesis and structure of the perovskite oxy-sulphates $Ba_4MCu_{2+x}O_{6+y}(SO_4)_z$ (M = Ca, Y) **223**, 37
Staub, U., see M. Guillaume **223**, 333
Strasser, G., see Y. Sun **223**, 14
Ströbel, J.P., see A. Piehler **223**, 391
Sułkowski, C., see A. Rojek **223**, 111
Sun, Y., G. Strasser, E. Gornik and X.Z. Wang, Calcium- and oxygen-doped high-T_c superconductive $Y_{1-x}Ca_xBa_2Cu_3O_y$ films **223**, 14
Suryanarayanan, R., see G.D. Priftis **223**, 106

Takami, T., see M. Kataoka **223**, 71
Tamazyan, R.A., see I.P. Makarova **223**, 1
Tanaka, I., see M. Braden **223**, 396
Tanaka, S., see C.-Q. Jin **223**, 238
Tanaka, S., see X.-J. Wu **223**, 243
Tanimura, J., see M. Kataoka **223**, 71
Tebano, A., see C. Paracchini **223**, 46
Tewordt, L., see T. Dahm **223**, 179
Thivet, C., see C. Rossel **223**, 370
Tokatly, I.V., see A.A. Gorbatsevich **223**, 95
Tolédano, J.C., see R. Bouzerar **223**, 259
Tomioka, Y., M. Naito, K. Kishio and K. Kitazawa, The Meissner and shielding effects of high-temperature oxide superconductors **223**, 347
Tran, M.-T., Magnetic interactions in the Emery model **223**, 361
Tsetlin, M.B., see A.A. Zakharov **223**, 157

Umezawa, A., see S.E. Dorris **223**, 163

Van Tendeloo, G., C. Chaillout, J.J. Capponi, M. Marezio and E.V. Antipov, Atomic structure and defect structure of the superconducting $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ homologous series **223**, 219
Veretnik, D. and S. Reich, Role of gold in the enhancement of the critical temperature in melt-textured $YBa_2Cu_3O_{7-x}$ **223**, 227
Vieth, H.M., see S.D. Goren **223**, 140
Violanti, A., see C. Paracchini **223**, 46
Voll, G., see M. Promberger **223**, 321
Vradis, A.A., see G.D. Priftis **223**, 106

Wada, O., see M. Kataoka **223**, 71
Wada, Y., see M. Kataoka **223**, 71
Wagner, J.L., see A.-K. Klehe **223**, 313
Wang, X.Z., see Y. Sun **223**, 14
Wang, X.Z., see W. Markowitsch **223**, 117
Weht, R., C.O. Rodriguez and M. Weissmann, Ab initio calculations of electronic band structure, nesting features of the Fermi surface and frozen phonons in the infinite layer cuprates **223**, 339
Weissmann, M., see R. Weht **223**, 339
Weller, M.T., see D.M. Ogborne **223**, 283
Wermbter, S., see T. Dahm **223**, 179
Williams, E.J., see C. Rossel **223**, 370
Wu, F., see X.J. Zhou **223**, 30
Wu, X.-J., see C.-Q. Jin **223**, 238
Wu, X.-J., S. Adachi, C.-Q. Jin, H. Yamauchi and S. Tanaka,

Novel homologous series of superconducting copper oxides, Cu-12$(n-1)n$ **223**, 243

Yamauchi, H., see C.-Q. Jin **223**, 238
Yamauchi, H., see X.-J. Wu **223**, 243
Yang, P., see H.-K. Fun **223**, 267
Yao, Y.S., see X.J. Zhou **223**, 30
Yin, B., see X.J. Zhou **223**, 30
Yu, M.K. and J.P. Franck, The specific heat of the 2201 BISCO high-T_c superconductor **223**, 57

Zakharov, A.A., A.A. Nikonov, O.E. Parfionov, M.B. Tsetlin, V.M. Glaskov, N.V. Revina, S.N. Barilo, D.I. Zhigunov and L.A. Kurnevitch, Superconductivity and phase separation in La_2CuO_{4+x} single crystals **223**, 157
Zakosarenko, V.M., see R. Laiho **223**, 123
Zhao, Z.X., see X.J. Zhou **223**, 30
Zhigunov, D.I., see A.A. Zakharov **223**, 157
Zhou, X.J., J.W. Li, F. Wu, J.Q. Li, B. Yin, S.L. Jia, Y.S. Yao and Z.X. Zhao, Structural and superconducting properties of the infinite-layer $(Sr, Ca)_{1-y}CuO_2$ prepared under high pressure **223**, 30
Zrubec, V., A. Cigáň and J. Maňka, Simplified fast method for magnetic characteristics measurement of the HT_c superconducting materials **223**, 90

ELSEVIER

Physica C 223 (1994) 421–422

PHYSICA C

Analytic Subject Index to Volume 223

AC susceptibility 90, 163, 313
Annealing atmosphere 383
Antiferromagnetic order 267

$Bi_9Sr_{11}Ca_5$ oxide 383
Bose condensation 249, 291
–in $La_{2-x}Sr_xCuO_4$ 233

Carrier concentration 14, 213, 233
Compton profile 106
Copper oxy-sulphate 37
Critical current density 19, 62, 163, 207, 391
Crystal field 333
Crystal structure
–of $BaBi_{1-x}Pb_xO_3$ 131

Debye temperature 57
Defect structures 219
Dielectric function 117
Dielectric ordering 95
D-wave superconductor 179

Electrical resistivity 75, 111, 131, 145, 157, 227, 370
Electrochemical oxidation 75
Electronic correlations 291, 321
Electronic structure 1, 131, 233, 249, 291, 313, 321, 396
–of $(Bi_{1.6}Pb_{0.4})Sr_2Ca_2Cu_3O_{10+x}$ 106
–of $CaCuO_2$ 339
–of Hg-Ba-Ca-Cu-O 213
–of $SrCuO_2$ 339
Electron–phonon interactions 249
Energy gap 83
Exchange interaction 333

Fermi surface 106, 339
Fluctuating fields 333
Flux lattice 276
Flux pinning 259, 347
Frustration 361

Gapless superconductor 83
Grain boundaries 19, 189, 370, 391
Granular superconductor 62

High-pressure effect
–in $HgBa_2Ca_2Cu_3O_{8+\delta}$ 313
–in $HgBa_2CaCu_2O_{6+\delta}$ 313
Hole concentration 361
HREM 189, 219, 243, 370
Hubbard Hamiltonian 361
Hydrogen doping 140

Irreversibility line 259
I–V characteristics 19

Josephson effect 123
Josephson lattice 62

Knight shift 145
Kosterlitz–Thouless model 46

Lattice parameters 227, 238, 243
Lower critical field H_{c1} 347

Magnetic susceptibility 30, 51, 75
–of BPSCCO 189
Magnetization 90, 207
–of TlBaCaCuO 391
Magnetoresistance 46
–of $HgBa_2CuO_{4+\delta}$ 207
Meissner effect 347
Microstructure 163
Mixed state 276, 347
Modulated structures 189

Neutron diffraction 283
–of $La_{2-x}Sr_xCuO_{4+\delta}$ 396
Neutron scattering 179
–of $Ho_{0.1}Y_{0.9}Ba_2Cu_3O_x$ 333
Nitrogen annealing 189
NMR 140, 145
Non-ohmic behaviour 19, 46

Off-diagonal long range order 291
Off-stoichiometric target 173
Optical spectroscopy
–of YBaCuO 117
Oxygen stoichiometry 140, 213, 227, 283
–in La_2CuO_{4+x} 157

Pair breaking 111
Phase purity 383
Phase separation 95, 157
Phonon spectrum 339
Photoinduced effects 123
Polarons 249

Raman scattering 173
Real-space pairing 321
Reentrant behavior 111
RF magnetron sputtering 173

Scanning electron microscopy 370
Scanning tunneling microscopy 370
Specific heat
–of Bi-Pb-Sr-Cu-O 57
Spin susceptibility 179
SQUID 90, 123
Structural phase transition 140, 396
Structure
–of $Ba_4MCu_{2+x}O_{6+y}(SO_4)_z$ (M=Ca, Y) 37
–of Ba–Ca–Cu–O 238, 243
–of $Bi_2Sr_2CaCu_2O_x$ 71
–of $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ 219
–of $(Sr,Ca)_{1-y}CuO_2$ 30
–of $Tl_2Ba_2Ca_3Cu_4O_{12-\delta}$ 283
–of $Tl(Ba_{2-x}Sr_x)PrCu_2O_{7-y}$ 267
Structure of thin films 370
Substitution effects 163
–in $Bi_{2-x}Pb_xSr_2CaCu_2O_8$ 259
–in $GdBa_2Cu_3O_{7-\delta}$ 83
–in $La_{2-x}Sr_xCuO_{4+\delta}$ 396
–in $Nd_{2-xe\ x}CuO_{4-\delta}$ 1
–in (RE)$Ba_2Cu_3O_7$ (RE=Y or Nd) 145
–in $Y_{1-x}Ca_xBa_2Cu_3O_y$ 14
–in $YBa_2Cu_3O_{7-x}$ 227
–in $YBa_2Cu_4O_8$ 51

Surface barrier 276
Synthesis
–of $Ba_4MCu_{2+x}O_{6+y}(SO_4)_z$ (M=Ca, Y) 37
–of Ba–Ca–Cu–O 238
–of Bi-2223 163
–of La_2CuO_4 75
–of $La_{2-x}Ba_xCuO_{4+\delta}$ 75
–of $(Sr,Ca)_{1-y}CuO_2$ 30
–of $YBa_2Cu_4O_8$ 51

Thin films 14, 391
–of $Bi_2Sr_2CaCu_2O_x$ 71

Upper critical field H_{c2}
–of $TmRh_{1.3}Sn_{4.0}$ 111

Vortex lattice melting 259

Weak links 62

XAFS 131
X-ray diffraction 1, 14, 30, 51, 71, 157, 267, 383

ELSEVIER

Physica C 223 (1994) 423

PHYSICA C

Materials Index to Volume 223

$Ba_4MCu_{2+x}O_{6+y}(SO_4)_z$
–structure 37
–synthesis 37
$BaBi_{1-x}Pb_xO_3$
–crystal structure 131
Ba–Ca–Cu–O
–structure 238, 243
–synthesis 238
$(Bi_{1.6}Pb_{0.4})Sr_2Ca_2Cu_3O_{10+x}$
–electronic structure 106
Bi-2223
–synthesis 163
$Bi_2Sr_2CaCu_2O_x$
–structure 71
–thin films 71
$Bi_{2-x}Pb_xSr_2CaCu_2O_8$
–substitution effects 259
Bi-Pb-Sr-Cu-O
–specific heat 57

$CaCuO_2$
–electronic structure 339

$GdBa_2Cu_3O_{7-\delta}$
–substitution effects 83

$HgBa_2Ca_2Cu_3O_{8+\delta}$
–high-pressure effect 313

$HgBa_2CaCu_2O_{6+\delta}$
–high-pressure effect 313
$HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$
–structure 219
$HgBa_2CuO_{4+\delta}$
–magnetoresistance 207
Hg-Ba-Ca-Cu-O
–electronic structure 213
$Ho_{0.1}Y_{0.9}Ba_2Cu_3O_x$
–neutron scattering 333

La_2CuO_4
–synthesis 75
La_2CuO_{4+x}
–oxygen stoichiometry 157
$La_{2-x}Ba_xCuO_{4+\delta}$
–synthesis 75
$La_{2-x}Sr_xCuO_4$
–Bose condensation 233
$La_{2-x}Sr_xCuO_{4+\delta}$
–neutron diffraction 396
–substitution effects 396

$Nd_{2-xe\ x}CuO_{4-\delta}$
–substitution effects 1

$(RE)Ba_2Cu_3O_7$
–substitution effects 145

$(Sr,Ca)_{1-y}CuO_2$
–structure 30
–synthesis 30
$SrCuO_2$
–electronic structure 339

$Tl_2Ba_2Ca_3Cu_4O_{12-\delta}$
–structure 283
$Tl(Ba_{2-x}Sr_x)PrCu_2O_{7-y}$
–structure 267
TlBaCaCuO
–magnetization 391
$TmRh_{1.3}Sn_{4.0}$
–upper critical field H_{c2} 111

$Y_{1-x}Ca_xBa_2Cu_3O_y$
–substitution effects 14
$YBa_2Cu_3O_{7-x}$
–substitution effects 227
$YBa_2Cu_4O_8$
–substitution effects 51
–synthesis 51
YBaCuO
–optical spectroscopy 117